Carneades insignata *Walk.* Sm., S.
ridingsiana *Grt.* S., S.
insulsa *Walk.* S., S.
gagates *Grt.* Sm., C.
Xylophasia suffusca *Morr.* Sm., C.
Mamestra olivacea *Morr.* S., S.
determinata *Sm.* S., Sm.
renigera *Steph.*
imbrifera *Gn.*
Pseudanarta flavidens *Grt.*
Oncocnemis colorado Smith. Sm., C.
Nephelodes minians *Gn.*
Hydroecia atlantica *Smith.* Sm., S.
velata *Walk.* Sm. S.
juvenilis *Grt.* Sm. S.
Leucania pallens *Linn.* S., S.
albilinea *Hbn.* S., S.
Orthodes virgula *Grt.* Sm., C.
Ingura sp.
Plusia bimaculata *Steph.* S., S.
celsa *Hy. Edw.* S., S.
alticola *Walk.* S., S.
brassicæ *Riley.* S., S.
Grotella dis *Grt.* Sm., S.
Pseudanthœcia tumida *Grt.* S., S.
Sicya macularia *Harr.* S. S.
Lychnosea helveolaria *Hulst.* S. S.
Triphosa dubitata *Linn.* S., S.
Emplocia fervifactaria *Grt.* S., S.
Loxostege cereralis *Zell.* S., S.
Ethmia discostigella *Ch.* D., C.
Epithecthis bicostomaculella *Chamb.* D., C.
Gelechia versutella, *Zeller.* D., C.
Argyresthiæ gœdartella *Linn.* D., C.

COLEOPTERA.

BY HENRY SKINNER.

ABBREVIATIONS.

The first letter after a species denotes the determiner, and the next letter or letters the collector.

S.—Skinner, H.
D.—Van Dyke, E. C.
F.—Fall, H. C.
W.—Wickham, H. F.
H.—Hopkins, A. D.
C.—Cockerell, T. D. A.
W. P.—Wilmatte Porter.
W. P. C.—Wilmatte Porter Cockerell.

CICINDELIDÆ.

Cicindela longilabris *Say.* S., S.
var. cimarrona *Lec.* S., S.
var. micans *Fab.* S., S.
var. oregona *Lec.* S., S.

CARABIDÆ.

Cychrus elevatus *Fab.* var. S., S.
Carabus tædatus *Fab.* S., S.
Calasoma obsoletum *Say.* S., S.
Bembidium lucidum *Lec.* D., S.
mutatum *G.* and *H.* D., S.
quadrimaculatum *Linn.* D., S.
Tachys nanus *Gyll.* S., S.
Pterostichus longulus *Lec.* S., S.
substriatus *Lec.* D. S.
luczotii *Dej.* D., S.
femoralis *Kirby.* F., C.*

* May 3rd.

Amara jacobinæ *Lec.* D., S.
polita *Lec.* D., S.
interstitialis *Dej.* D., S.
Platynus nivalis *Horn.* S., S.
placidus *Say.* D., S.
Lebia viridis *Say.* S., S.
divisa *Lec.* W., C.
Metablethus americanus *Dej.* F., C.*
Cymindis cribricollis *Dej.* S., S.
Harpalus retractus *Lec.* S., S.
fallax *Lec.* S., S.
somnulentus *Dej.* S., S.
ellipsis *Lec.* S., S.
funestus *Lec.* S., S.
Stenolophus conjunctus *Say.* F., C.*

HYDROPHILIDÆ.

Hydræna punctata *Lec.* F., S.
Laccobius agilis *Rand.* F., C.†
Hydrobius scabrosus *Horn.* S., S.

SILPHIDÆ.

Silpha lapponica *Hbst.* S., S.
Hydnobius substriatus *Lec.* F., S.
Anistoma punctatostriata *Kirby.* F., S.

PSELAPHIDÆ.

Tyrus corticinus *Cas.* Wenzel, S.
Articerus fuchsi *Brend.* F., C.†

STAPHYLINIDÆ.

Falagria dissecta *Er.* F., C.†
Quedius molochinus *Grav.* F., C.†
Sunius longiusculus *Mann.* F., C.*
Xantholinus cephalus *Say.* F., S.
Stenus trajectus *Csy?** F., C.
juno *Fab.* F., C.†
Tachinus repandus *Horn.* F., S.
Geodromicus oripennis *Lec.* F., S.
Tachyporus maculipennis *Lec.* F., C.†
jocosus *Say.* F., C.†
brunneus *Fab.* F., C.†
Oxytelus suspectus *Csy.* F., C.†
alpicola *Csy.* F., C.†
Apocellus sphæricollis *Say.* F., C.†

PHALACRIDÆ.

Olibrus pallipes *Say.* F., S.

COCCINELLIDÆ.

Hippodamia convergens *Guer.* S., S.
parenthesis *Say.* F., C.*
falcigera *Cr.* S., S.
Cocinella trifasciata *Linn.* S., S.
Anatis lecontei *Cas.* F., C.
Exochomus æthiops *Bland.* F., C.
Hyperaspis fimbriolata *Melsh.* S., S.
Scymnus ardelis *Horn.* F., C.

ENDOMYCHIDÆ.

Aphorista morosa *Lec.* F., C. (Harvey's Ranch).
Lycoperdina ferruginea *Lec.* S., S.

EROTYLIDÆ.

Erotylus boisduvallii *Chev.* S., S.

COLYDIIDÆ.

Bothrideres montanus *Horn.* S. S.

CUCUJIDÆ.

Silvanus advena *Waltl.* S., S.

CRYPTOPHAGIDÆ.

Antherophagus pallidiventris *Csy.* F., S.

MYCETOPHAGIDÆ.

Mycetophagus confusus *Horn.* F., W. P. C.

DERMESTIDÆ.

Orphilus glabratus *Fab.* F., C. (July 17).

HISTERIDÆ.

Hister punctiger *Lec.* S., S.
Plegaderus sayi *Mars.* F., C.

NITIDULIDÆ.

Carpophilus zuni *Csy.* F. C.
Epuræa integra *Horn.* F., W. P. C.
popagona *Csy.?* S., S.
adumbrata *Mann.?* F., C.
Nitidula ziczac *Say.* S., S.
Meligethes mutatus *Har.* S., S.

PARNIDÆ.

Dryops striatus *Lec.* S., S.

* May 3rd. † Miss Mary Cooper, May 15th.

ELATERIDÆ.

Dolopius lateralis *Esch.* F., C.*
Athous cribratus *Lec.* F., C. (July 17).

BUPRESTIDÆ.

Buprestis *var.* rusticorum *Kby.* F., C.
var. langii *Mann.* F., C.
Chrysobothris ludificata *Horn.* S., S.
Acmæodera sparsa *Horn.* F., W. C.
Agrilus politus *Say.* W. C.

LAMPYRIDÆ.

Rhyncheros sanguinipennis *Say.* S., S.
Eros aurora *Hbst.* F., C.*
Plateros sollicitus *Lec.* S., S.
Calochromus perfaceta *Say.* S., S.
ruficollis *Lec.* W., C.
Podabrus lateralis *Lec.* F., W. P. C.
Silis difficilis *Lec.* F., C.*

CLERIDÆ.

Trichodes ornatus *Lec.* S., S.
var. tenellus *Kby.* F., C.
Clerus nigriventris *Lec.* S., S.
Thanasimus undulatus *Say.* F., C.
Hydnocera pubescens *Say.* S., S.
Necrobia rufipes *Fab.* S., S.

PTINIDÆ.

Dinoderus substriatus *Payk.* S., S.

LUCANIDÆ.

Platycerus depressus *Lec.* W., C.

SCARABÆIDÆ.

Aphodius cruentatus *Lec.* S., S.
Trichius affinis *Gory.* S., S.

CERAMBYCIDÆ.

Tetropuim cinnamopterum *Kby.* S., S.
Batyle suturalis *Say.* S., S.
Pachyta liturata *Kby.* S., S,
Acmæops proteus *Kby.* W., C.
pratensis *Laich.* S., S.
Leptura propinqua *Bland.* S., S.
var. cribripennis *Lec.* F., W. P.
chrysocoma *Kby.* S., S.
Monohammus maculosis *Hald.* S., S.
Acanthocinus obliquus *Lec.* S., S.
spectabilis *Lec.* S., S.

CHRYSOMELIDÆ.

Zeugophora abnormis *Lec.* S., S.
Babia *var.* tetraspilota *Lec.* S., S.
Cryptocephalus 4-maculatus *Say.* W., C. (July 25).
quadruplex *Newm.* S., S.
Pachybrachys lustrans *Lec.* F., C.
atomarius *Melsh.* S., S.
Xanthonia 10-notata *Say.* F., S.
Adoxus vitis *Linn.* F., C.
Chrysomela continua *Lec.* S., S.
sigmoidea *Lec.* S., S.
Plagiodera viridis *Melsh.* S., S.
Luperodes morrisoni *Jac.?* F., C.
Trirhabda attenuata *Say.* S., S.
convergens *Lec.* F., C.
Monoxia debilis *Lec.* S., S.
Œdionychis triangularis S., S.
lugens *Lec.?* S., S.
Haltica punctipennis *Lec.* S., S.
Glyptina brunnea *Horn.* F., C.*
Phyllotreta pusilla *Horn.* F., C.*
Chætocnema protensa *Lec.* F., S.
Dibolia ærea *Melsh.* F., C.*
Psylliodes punctulata *Melsh.* S., S.

TENEBRIONIDÆ.

Asida opaca *Say.* S., S.
Eleodes tricostata *Say.* S., S.
humeralis *Lec.* S., S.
extricata *Say.* S., S.
lecontei *Horn.* S., S.
Tenebrio obscurus *Fab.* F., C.
Blapstinus sp.

ŒDEMERIDÆ.

Ditylus obscurus *Lec.* S., S.
Asclera puncticollis *Say.* S., S.

MORDELLIDÆ.

Anaspis atra *Lec.* F., S.

MELOIDÆ.

Macrobasis unicolor *Kby.* S., S.
Cantharis nuttalli *Say.* S., S.

---

* May 3rd.

RHYNCHITIDÆ.

Rhynchites bicolor *Fab.* S., S.

OTIORHYNCHIDÆ.

Thricolepis inornata *Horn.* F., C.

CURCULIONIDÆ.

Sitones sp.
Apion sp.
Stephanocleonus plumbeus *Lec.* F., C.
Otidocephalus estratus *Csy.* F., S.
Anthonomus decipiens *Lec.* F., S.
Tyloderma baridium *Lec.* F., C.
Ceutorhynchus pusio *Mann.* F., S.

CALANDRIDÆ.

Cossonus subareatus *Boh.?* F., C.
concinnus *Boh.* S., S.

SCOLYTIDÆ.

Gnatatrichius sulcatus. H., S.
Tomicus calligraphus *Germ.* H., S.
plastographus *Lec.* H., S.
rectus *Lec.* H., S.
Hylastes n. sp. H., S.
n. sp. H., S.
Hylurgops subcostulatus *Mann.* H., S.
Scolytus præceps *Lec.* H., S.
Dendroctonus valens H., S.
Polygraphus rufipennis *Kby.* H., S.

ORTHOPTERA.

BY J. A. G. REHN.

PHASMIDÆ.

Diapheromera sp.

One immature female; August 17, 1901.

ACRIDIDÆ.

Stenobothrus curtipennis (Harris).

One male; August 17, 1901.

This species has previously been recorded from Utah Co., Utah, and several localities in Colorado (altitudes 5,000–8,500 feet), the most southern being Garland, Costillo County.

Arphia arcta Scudder.

One female; August 17, 1901.

Camnula pellucida (Scudder).

Six specimens, four males, two females; August 17, 1901.

Dissosteira carolina (Linnæus).

One male; August 17, 1901.

Circotettix suffusus (Scudder).

One male; August 17, 1901.

Previous reports included the following Colorado records: Manitou 6,300 feet, Florrisant 8,000 feet, Alma 10,000 feet, and North Fork of South Platte River.